


Appendix 2 - Health inequalities data produced by the CCG

Inequalities


Ward level indicators

Life expectancy at birth in females (2010-14) - wards in Oxfordshire significantly lower and significantly higher than Oxfordshire figure



Source: PHE Local Health


Life expectancy at birth in males (2010-14) - wards in Oxfordshire significantly lower and significantly higher than Oxfordshire figure



Percentage aged 0-15 living in income deprived households, Income Deprivation Affecting Children Index, 2015

Wards higher and lower than Oxfordshire and England

No confidence intervals for this indicator




Source: PHE Local Health

Percentage living in income deprived households, 2015

Wards higher and lower than Oxfordshire and England

No confidence intervals for this indicator

■ % living in income deprived households — Oxfordshire — England




52

Source: PHE Local Health


Percentage of households in fuel poverty, 2014 data Wards significantly higher (or lower) than Oxfordshire figure

53




Source: Dept. of Energy & Climate Change


Percentage of working age population claiming out of work benefits, 2015/16 data Wards significantly higher (or lower) than Oxfordshire figure



Good level of development at 5 years (%), 2013-14 Wards significantly lower (and higher) than Oxfordshire figure




Admissions for injuries for children 0-4 yrs, 2010/11-2014/15 (four years combined)
Crude rate per 10,000 population. Wards that are significantly higher (or lower)
than Oxfordshire




A&E attendances for 0-4 years, crude rate per 1,000 population, 2012-13 to 2014/15

Wards in that are significantly higher (or lower) than Oxfordshire




Source: PHE Local Health


Percentage of Reception Year (4-5 years) children who are obese; Wards in Oxfordshire significantly higher than the Oxfordshire percentage; 2012/13 to 2014/15 combined years



Percentage of Year 6 (10-11 years) who are obese; Wards that are significantly higher or lower than Oxfordshire percentage; 2012/13 to 2014/15 years combined




Hospital admissions for injuries in children under 15 years - crude rate per 10,000 Wards in Oxfordshire significantly higher (or lower) than Oxfordshire rate




Source: PHE Local Health

Hospital admissions due to injuries in 15-24 years - Crude rate per 10,000 Wards that are significantly higher (and lower) than Oxfordshire rate



Hospital stays for self-harm; standardised admission ratio (SAR)


Wards in Oxfordshire significantly higher than England SAR; 2010-11 to 2014/15 combined



Source: PHE Local Health


Emergency hospital admissions for Chronic Obstructive Pulmonary Disease (COPD); standardised admission ratio (SAR)

Wards in Oxfordshire significantly higher and lower than England; 2010/11 to 2014/15 combined




Source: PHE Local Health

Emergency hospital admissions for Coronary Heart Disease (CHD); standardised admission ratio; Wards in Oxfordshire significantly higher and lower than England SAR; 2010/11 to 2014/15 combined




Source: PHE Local Health

Emergency hospital admissions for stroke; standardised admission ratio; Wards in Oxfordshire significantly higher or lower than England SAR; 2010/11 to 2014/15 combined




Hospital stays for alcohol-related conditions; standardised admission ratio (SAR); Wards in Oxfordshire significantly higher or lower than England SAR; 2010/11 to 2014/15 combined years




Source: PHE Local Health

Mortality from Cancer in people under 75 years; standardised mortality ratio (SMR); Oxfordshire wards significantly higher and lower than England SMR; 2010-14 combined years




Mortality from Circulatory Diseases in people under 75 years; standardised mortality ratio (SMR); Wards in Oxfordshire significantly higher and lower than England SMR; 2010-14 years combined




Source: PHE Local Health

Mortality from respiratory diseases; all ages; standardised mortality ratio (SMR); Wards in Oxfordshire that are higher and lower than England SMR; 2010-14 years combined



Mortality from stroke (all ages); standardised mortality ratio (SMR); Wards in Oxfordshire that are higher or lower than England SMR; 2010-14 years combined




Source: PHE Local Health

Inequalities

MSOA level indicators

Healthy Life Expectancy (HLE) at birth in females; Middle Super Output Areas (MSOAs) significantly lower and higher than Oxfordshire HLE; 2009-13 years combined


Please see separate map for location of MSOAs; Note these data not available at district level



Source: Office for National Statistics (ONS)


Healthy Life Expectancy (HLE) at birth in males; Middle Super Output Areas (MSOAs) significantly lower and higher than Oxfordshire HLE; 2009-13 years combined

Please see separate map for location of MSOAs; Note these data not available at district level



Source: Office for National Statistics (ONS)


**Healthy Life Expectancy (HLE) in males
Middle Super Output Areas (MSOAs) highlighted
with significantly higher or lower HLE than Oxfordshire average**




Reproduced from the Ordnance Survey mapping with the permission of the Controller of Her Majesty's Stationery Office © Crown Copyright. Unauthorised reproduction infringes Crown Copyright, and may lead to prosecution or civil proceedings.
Oxfordshire County Council Licence No 100023343 2009
©Crown Copyright and database rights 2011 10023343

Disability-free Life Expectancy (DfLE) in Females; Middle Super Output Areas (MSOAs) significantly lower and higher than Oxfordshire DfLE; 2009-13 years combined

Please see separate map for MSOA location. Note these data are not available at district level




Disability-free Life Expectancy (DfLE) in females
Middle Super Output Areas (MSOAs) highlighted
with significantly higher or lower DfLE than Oxfordshire average




Disability-free Life Expectancy (DfLE) in Males; MSOAs with a significantly lower or higher DfLE than Oxfordshire; 2009-13 combined years

Please see separate map for location of MSOAs; Note these data are not available at district level



Source: Office for National Statistics (ONS)

**Disability-free Expectancy (HLE) in males
Middle Super Output Areas (MSOAs) highlighted
with significantly higher or lower HLE than Oxfordshire average**




Inequalities

District level indicators


Percentage of live births with a recorded birth weight under 2500g Oxfordshire Districts, Oxfordshire & England; 2015 data

Note: no significant differences




Infant deaths under 1 year of age per 1,000 live births; crude rate;
2013-15 (3 years combined)
Oxfordshire districts, England & Oxfordshire

Note: no significant differences




Percentage of five year old children free from dental decay; 2014/15; Oxfordshire districts, England & Oxfordshire




Eligible homeless people NOT in priority need; crude rate per 1,000 households; 2015/16; Oxfordshire districts, England & Oxfordshire


£8




Accepted as being homeless (by district) and in priority need; number per 1,000 households; 2015/16; Oxfordshire districts, England & Oxfordshire



Statutory homelessness - households in temporary accommodation; crude rate per 1,000 households; 2015/16; Oxfordshire districts, England & Oxfordshire




Smoking prevalence in adults (18+ years); current smokers;
2015 Annual Population Survey; Oxfordshire districts, England & Oxfordshire




Prevalence of smoking in 18+ years in routine and manual group; self-reported smokers; 2015 survey; Oxfordshire districts, England & Oxfordshire

Note: no significant differences

Smoking prevalence in routine and manual group




Smoking % in routine & manual groups England Oxfordshire



Age standardised mortality rate from suicide and injury of undetermined intent per 100,000; 3-year average 2013-15; Oxfordshire districts, England & Oxfordshire

Note: no significant differences



Inequalities Mental Health Indicators

Mental Health Indicators

No.	Indicator	Latest data	England	Oxfordshire CCG	Lowest	Highest	Absolute Gap
42	New diagnosis of recorded depression (18+)	2016/17	1.5%	1.8%	0.8%	3.9%	3.1%
43	Depression recorded prevalence (18+)	2016/17	9.1%	9.7%	4.3%	18.2%	13.9%
44	Severe mental illness recorded prevalence (all ages)	2016/17	0.9%	0.8%	0.4%	2.4%	2.0%
45	People with SMI with comprehensive care plan: % of people with SMI	2016/17	79.0%	81.7%	20.0%	100.0%	80.0%
46	Primary care reviews of depression (18+)	2016/17	64.4%	68.8%	29.9%	100.0%	70.1%

Source [Mental Health and Wellbeing JSNA \(PHE fingertips tool\)](#)

Note 1 Lowest and Highest data refer to the highest and lowest among Oxfordshire GP practices

Note 2 Luter Street practice and Deer Park Medical Centre have been omitted when comparing lowest with highest


Note 3 SMI = Severe Mental Illness

		42 New diagnosis of recorded depression (18+)	43 Depression recorded prevalence (18+)	44 Severe mental illness recorded prevalence (all ages)	45 People with SMI with comprehensive care plan: % of people with SMI	46 Primary care reviews of depression (18+)
	Oxfordshire CCG	1.8%	9.7%	0.8%	81.7%	68.8%
	L = Sign. Lower than Oxfordshire CCG; H = Sign. Higher than Oxfordshire CCG					
	Significantly lower than Oxfordshire CCG					
North East	K84003 Islip Surgery		H	L		
	K84038 Montgomery House Surgery		H	H		
	K84042 Woodstock Surgery	L	L			
	K84045 Gosford Hill Medical Centre	H	L	L		
	K84052 Bicester Health Centre	H				
	K84082 The Key Medical Practice	H	H			
	K84613 Langford Medical Practice	H	H			
North Oxfordshire	K84024 Windrush Surgery		L			
	K84028 West Bar Surgery	L	H	H		
	K84030 Chipping Norton Health Centre	H	H			
	K84040 Horsefair Surgery					
	K84046 Wychwood Surgery	L	L	L		
	K84055 Deddington Health Centre	L	L			
	K84056 Cropredy Surgery		L			
	K84058 Bloxham Surgery	H	L	L		
	K84059 Hightown Surgery	H	H			
	K84062 Woodlands Surgery		H	H		
K84065 Sibford Surgery	L	L				
Oxford City	K84004 Donnington Medical Partnership	L	L	H		
	K84005 Kennington Health Centre		H			
	K84007 Temple Cowley Health Centre	L	L	H		
	K84009 Bury Knowle Health Centre	H	H	H		
	K84011 Summertown Health Centre	H				
	K84013 St. Bartholemew's Medical Centre		L			
	K84016 19 Beaumont Street Surgery		L	H		
	K84021 Banbury Road Medical Centre	L	L			
	K84025 Botley Medical Centre	L	L			
	K84026 Jericho Health Centre (Kearley/Chivers)	L	L	H		
	K84031 The Leys Health Centre	H	H	H		
	K84032 Bartlemas Surgery	L	L	H		
	K84044 Manor Surgery	L	L			
	K84048 Hollow Way Medical Centre		H	H		
	K84049 27 Beaumont Street		L			
	K84060 St. Clement's Surgery		L	H		
	K84063 Cowley Road Medical Practice	L	L	H		
	K84078 Jericho Health Centre	L	L			
	K84080 28 Beaumont Street	H	L	H		
	K84605 9 King Edward Street		L	L		
K84617 South Oxford Health Centre		L	H			


		42 New diagnosis of recorded depression (18+)	43 Depression recorded prevalence (18+)	44 Severe mental illness recorded prevalence (all ages)	45 People with SMI with comprehensive care plan: % of people with SMI	46 Primary care reviews of depression (18+)
	Oxfordshire CCG	1.8%	9.7%	0.8%	81.7%	68.8%
	L = Sign. Lower than Oxfordshire CCG; H = Sign. Higher than Oxfordshire CCG					
	Significantly lower than Oxfordshire CCG					
South East Locality	K84001 The Hart Surgery	L	L			
	K84008 Chalgrove & Watlington Surgeries	L	L			
	K84014 Morland House Surgery	L	L			
	K84015 Nettlebed Surgery		H			
	K84020 Sonning Common Health Ctr	H				
	K84035 The Bell Surgery	L	L			
	K84036 Mill Stream Surgery		H	L		
	K84037 Wallingford Medical Practice	H	H	H		
South West Locality	K84050 The Rycote Practice	L				
	K84071 Goring & Woodcote Medical Practice		H			
	K84002 Didcot Health Centre Practice	H	H			
	K84019 Newbury Street Practice	L	L	L		
	K84023 Berinsfield Health Centre	H	H			
	K84027 Malthouse Surgery	H	H	H		
	K84033 Church Street Practice		L			
	K84034 Clifton Hampden Surgery	L	L			
West Oxfordshire Locality	K84041 Marcham Rd Family Health Centre		H			
	K84051 White Horse Medical Practice		H			
	K84054 The Abingdon Surgery	H	H			
	K84079 Long Furlong Medical Centre	H	H	L		
	K84624 Oak Tree Health Centre	H	H			
	K84006 Eynsham Medical Group	L	L			
	K84010 Bampton Surgery	L		L		
	K84017 Windrush Medical Practice	L	L	L		
West Oxfordshire Locality	K84047 Burford Surgery	L	L	L		
	K84072 Nuffield Health Centre	H		H		
	K84075 Broadshires Health Centre	H	H			
	K84610 The Charlbury Medical Centre	L	L			
	K84618 Cogges Surgery	L				

Practices that are significantly lower/higher than Oxfordshire CCG


New diagnosis of recorded depression (18+ years) GP Practices in Oxfordshire - 2016/17 with significantly low or high recording (compared to Oxfordshire CCG)




Depression recorded prevalence (18+ years) GP Practices in Oxfordshire (2016/17) with a significantly lower or higher prevalence than Oxfordshire CCG




Severe mental illness recorded prevalence (all ages) GP practices in Oxfordshire with significantly lower or higher prevalence than Oxfordshire CCG (2016/17)



People on Severe Mental Illness register with a comprehensive care plan (% of all on SMI register)
GP Practices in Oxfordshire that are significantly lower or higher than Oxfordshire CCG - 2016/17



Primary care reviews of depression (18+ years) GP Practices in Oxfordshire that are significantly lower or higher than Oxfordshire CCG average - 2016/17



This page is intentionally left blank