CEB Report Risk Register – Window Replacement Tender

Risk Score Impact Score: 1 = Insignificant; 2 = Minor; 3 = Moderate; 4 = Major; 5 = Catastrophic Probability Score: 1 = Rare; 2 = Unlikely; 3 = Possible; 4 = Likely; 5 = Almost Certain

No.	Risk Description Link to Corporate Obj	Gro Ris		Cause of Risk N	Mitigation	Net Risk		Further Management of Risk: Transfer/Accept/Reduce/Avoid		Monitoring Effectiveness				Cur Risk	
1	Contractor withdraws tender. Value for money & Service performance	2	1	tender may result inAlowest tenderer beingOoffered another contract.I	Mitigating Control:. Acceptance of tender by CEB at earliest opportunity. Level of Effectiveness:M (HML)	I 2	P 1	Action: Accept Action Owner: C Pyle Mitigating Control: Accept Control Owner: C Pyle	Outcome required: Milestone Date:03.03.10 Report approval by CEB.	Q 1 🕄 🗓 🕲	Q 2 3 3 1 1 3 1 3 1 1 3 1 1 1 1 1 1 1 1 1	Q 3 3 10 10	Q 4 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	I	P